NIDL Surfactants Pvt. Ltd.

Corp. office: CP 101 & 104 , DLF Corporate Park , Gurgaon , Haryana - 122002. India Tel: +91-124-4564700 E-mail: newindia@nidl.in

Material safety data sheet (MSDS)					
1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION					
Trade Name	:	AOS Powder			
Manufacture's Name Address		NIDL Surfactants Pvt. Ltd. Corp. office: CP 101 & 104 , DLF Corporate Park , Gurgaon , Haryana - 122002.			
Telephone	:	91-124-4564700			
Fax	:	NA			
2. COMPOSITION / INGREDIENTS (Re	ef :	1)			
Average Molecular Weight	:	324			
Chemical Identity Water Sodium (C14-16) Olefin sulfonate Sodium sulfate	:	CAS No. 7732-18-5 68439-57-6 7757-82-6	Weight Range 3% 92% 2%		
3. HAZARD IDENTIFICATION (Ref : 1)					
Health Rating	:	Slight			
Flammability Rating	:	Slight			
Reactivity Rating	:	Slight			
Contact Rating	:	Slight			
Storage	:	General			
4. FIRST- AID MEASURES (Ref : 1)					
Eye	:	Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Seek medical attention at once.			
Skin	:	For skin contact flush with large amount of water. If irritation presists, get medical attention Immediately take off all contaminated clothing. Wash contaminated clothing before reuse.			
Inhalation	:	If symptoms are experienced,remove source of contamination or move victim to fresh air. If the affected person is not breathing ,apply artificial respiration. If breathing is			

		difficult, give oxygen.			
Ingestion	:	If the material is swallowed, get immediate medical attention.			
* IN ALL ABOVE CASES, GET A DOCTOR TO CHECK THE PERSON CONCERNED					
5. FIRE HAZARD AND FIRE FIGHTING MEASURES (Ref : 1)					
Flash Point		(> 93.9° C) >201° F			
Means of Extinction	:	Use Water spray, Carbon Dioxide, Dry Chemical, or Alcohol Foam. Use Water to keep fire-exposed container cool.			
Flammability	:	Non-Flammable in solution.			
Personnel	:	Fire-fighters should wear full protective clothing,including self contained breathing equipment.			
Hazardous combustion product	:	None			
6. ACCIDENTAL RELEASE (Ref : 1)					
Engineering Controls	:	Ventilation of work sapce.			
Leak-And-Spill Procedures		Ventilate area, sweep up,use protective clothing,store in closed container.			
7. HANDLING AND STORAGE MEASURES (Ref : 1)					
Handling Containers	:	Use full protective gear. Protect containers against physical damage / direct sunlight / water.			
Storage Conditions of Containers	:	Store in dry locations, at ambient temperature away from direct sunligh			
8. PERSONAL PROTECTION MEASURES (Ref : 1)					
Skin	:	Rubber Gloves			
Respiration	:	Air respirator			
Eyes	:	Goggles			
Feet	:	Safety Shoes			
Body	[:	Lab Coat			
Hygiene Precautions	:	Remove contaminated clothing and wash hands between breaks and at the end of duty hours.			
9. PHYSICAL AND CHEMICAL PROPERTIES (Ref : 1)					
		Powder			
Physical State	_[:				
	: :	3 Max			

Boiling Point	:	> 100° C at 760 mm		
Pour Point	:	N/A		
Evaporation Rate	:	Estimated slower than Ethyl Ether		
Vapour Density (Air = 1)		Estimated lighter than Air		
Solubility in Water (20 C)	:	Soluble		
10. REACTIVITY DATA (Ref : 1)				
Chemical Stability	:	Product is stable under the prescribed storage conditions.		
Incompatibility with other Substances	:	Slight reaction with oxidising substances		
Reactivity and under what Conditions	:	None		
Hazardous Decomposition	:	None		
11. TOXICOLOGICAL PROPERTIES (Ref : 1)				
Toxicity	:	Non toxic		
Skin Contact	:	Slight		
Inhalation Acute	:	None		
Skin Absorption	:	None		
Inhalation Chronic	:	None		
Eye Contact		Slight		
Ingestion	:	mouse LD ₅₀ > 5.989 gm/kg		
Effect of Acute and Chronic Exposure to Material	:	The extensive use of Sodium Alpha Olefin Sulphonate in industry has not been accompanied by any reports of injury.		
Irritancy of material	:	Slight		
Carcinogenicity, Reproductive Effects, Terratogenicity, Mutagenicity	:	None reported		
12. ECOLOGICAL INFORMATION (Re	f : 1	1)		
The product should not get into water without treatment. Dissolved in water, the material is easily biodegradeable (90 %) and will not cause any disturbance in waste water treatment plants.				
13. WASTE DISPOSAL (Ref : 1)				
Disposal	:	This material is not hazardous material can be washed off with water jet.		
14. TRANSPORT RECOMMENDATION (Ref : 1)				
No special conditions as it is not a regulated product. However, one should observe the usual precautionary measures for transporting chemicals. in tankers.				
15. REGULATORY REQUIREMENTS (Ref : 1)				

According to the data available, the product is not regulated product. However, one should observe prescribed Federal, State and Local measures while dealing with chemicals.

Listed on EINECS (EU), TSCA (USA), DSL (Canada), AICS (Australia) and MITI (Japan), Korea & Phillipines.

EINECS No: 270-407-8 JSCI /JCIC :41- 500279 Not listed as a Carcinogen by NTP, IARC or OSHA.

16. OTHER INFORMATION

DISCLIMER

The information presented here pertains only to the product when stored in a sealed condition as prescribed above. The information is given in good faith, but no warranty, express or implied, is made.