PRODUCT AND COMPANY IDENTIFICATION

New India Detergents Pvt. Ltd.

Plot No. 1, GGDC Industrial Estate, Mithir Rohar, Gandhidham, Gujrat- 370201, India Plot No. D-46, Mahad Industrial Area, ,Mahad, Maharashtra, India, Plot No. 3312, 3322 & 3323, GIDC Industrial Estate, Sarigam, Gujrat-396155, India

NIDL Surfactants Pvt Ltd.

Plot No.15-B, HPSIDC Industrial Area (SFS), Baddi, Dist. Solan (H.P.), India G-1-119 (A), RIICO Industrial Area, Gudli, Tehsil Mavli, District Udaipur, Rajasthan,India Plot Survey No. 194/5-A, PanchalUdyog Nagar, Village Bhimpore, Daman, (U.T.)-396210,India Plot No. 201-206, NH-41, Mauza Kasthakali, East Medinipur, West Bengal,721654, India

Contact Detail

Email Id: newindia@nidl.in / karanarora@nidl.in

Ph: 0124-4564700

MATERIAL SAFETY DATA SHEET

SUBSTANCE:

TRADE NAME : LABSA

COMMODITY CODE : HSN 2904-10-90 / 3402-11-90

APPLICATION : Intermediary for the production of Detergent.

COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NATURE : Substance

CHEMICAL NAME : Linear Alkyl Benzene Sulfonic Acid

PROPER SHIPPING NAME: ALKYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid

TECHNICAL NAME : LABSA 90%

CHEMICAL FORMULA : C6H4(SO3H)(CS2)10CS3

CAS NUMBER : 42615-29-2 EINECS NUMBER : 248-289-4 EC NUMBER : Not Classified.

HAZARDOUS IMPURITIES

NAME	Concentr.	CAS N.	EC N.	SYMBOL	R Phrases
Sulfuric Acid	4-7% max	7664-93-9	016-020-00-8	C-Corrosive	R 35

R 35: Causes severe burns.

HAZARDS IDENTIFICATION

ADVERSE HUMAN HEALTH EFFECTS: The product is a corrosive substance. Contact with the

eyes may cause ocular lesions. ontact with the skin may cause burns. It is seriously irritating to the mucous if

swallowed. The product is harmful if ingested.

ENVIRONMENTAL EFFECTS : The product is not classified as dangerous to

environment. The user is advised to use anyway good

work practice and to avoid contamination of

environment.

OTHER EFFECTS : The product is a strong acid which reacts exothermally

with bases. Dilution with water produces heat.

FIRST AID MEASURES

INGESTION : The product may cause severe irritation of the mouth

and esophagus. If accidentally ingested, administer water. Do not induce vomiting. Call a physician

immediately.

INHALATION : The product is not volatile. If under particular conditions,

such as in the case of fire, fumes or aerosols are inhaled, remove the patient to a well ventilated location and call

a physician.

EYE CONTACT : Flush eyes immediately with running water for a long

time. Seek medical assistance immediately.

SKIN CONTACT : The product may cause burns. Remove the contaminated

clothing and wash with plenty of water and call a

physician immediately.

ANNOTATIONS TO A PHYSICIAN : The product is a high foaming anionic surfactant. If

gastric lavage is Necessary, then use a silicone antifoam

(dimethicone).

FIRE FIGHTING MEASURES

GENERAL INFORMATION : The product poses little risk of ignition. If it happens

to be involved in a Fire, keep the tank cooled by means of water spray in order to avoid the

Decomposition of the product.

SUITABLE EXTINGUISHING MEDIA : Water spray, foam, carbon dioxide.

NOT SUITABLE EXTINGUISHING MEDIA: None in particular.

SPECIFIC HAZARDS : Combustion produces carbon dioxide, carbon

monoxide and oxides of Sulphur. When heated to decomposition, toxic fumes of SO2 and SO3 are

Emitted.

SPECIAL EQUIPMENTS : For large fires, wear self-contained breathing

apparatus.

ACCIDENTAL SPILL MEASURES

PERSONAL PRECAUTIONS : Avoid direct contact with the product. Wear rubber gloves

and rubber Boots, face shield and keep close by a gas

mask provided with filter For acid vapors.

ENVIRONMENTAL PRECAUTIONS : Surround the spill with earth or sand. Collect the spilled

material in suitable Containers, if necessary absorb the spill onto inert materials. Dispose of material according to the uirements of local law. In case of Leaking into sewer

inform the local authorities.

METHODS FOR CLEANING UP : Neutralize the residue of the product with NaOH or with

caustic lime. Wash the contaminated area with plenty of water. If excessive foam is produced, use a silicone based

antifoam to bring it down.

HANDLING AND STORAGE

HANDLING

: Avoid contact with the product. While handling the product, wear a protective apron, rubber or PVC gloves and a face shield. Handle the product in well ventilated areas. Neutralize with base under controlled conditions. Do not heat above 50 degrees C. Compatible materials: stainless steel, mild steel, plastic materials. incompatible with galvanized steel, aluminium, copper alloys

EXPOSURE CONTROLS / PERSONAL PROTECTION

PRECAUTIONARY MEASURES : Installation of an eyewash fountain is recommended.

Do not eat or drink onto the work place, When

handling the product use approved protective clothing,

rubber or PVC gloves, and a face shield.

PERSONAL PROTECTIVE EQUIPMENT : Wear safety goggles or a face shield and approved

protective clothing.

THRESHOLD LIMIT VALUE : Not established.

REQUIREMENTS FOR PERIODIC HEALTH CHECK UP : Specific measures are not foreseen.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AT 20 DEGREES C : Brown viscous liquid.

ODOR : Of sulfur.

NOMINAL ACTIVE MATTER CONCENTR : ~ 90% m/m.

AVERAGE MOLECULAR MASS : ~ 326

SOLUBILITY AT 20 DEGREES C

- water : Soluble.

- ethanol : Soluble.

- acetone : Not compatible.

- aliphatic hydrocarbons : Insoluble.

MASS DENSITY AT 20 DEGREES C : $\sim 1.070 \text{ g/cm}$

VISCOSITY AT 20 DEGREES C : $\sim 1500 - 2000$ mPa.s.

MELTING RANGE : \sim - 10 DEGREES C.

BOILING POINT : ~ 315 DEGREES C. VAPOUR

PRESSURE at 20 DEGREES c : Below 0.15 (0.001 mm Hg).

VAPOUR DENSITY (air = 1) : Not applicable to this product.

FLASH POINT (PMcc) : >200 DEGREES C.

AUTOIGNITION TEMPERATURE : Not applicable to this product.

DECOMPOSITION TEMPERATURE : > 100 DEGREES C.

Ph : ~ 2.

EXPLOSION PROPERTIES : Not pertinent to this product.

OXIDIZING PROPERTIES : Not pertinent to this product.

STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION PRODUCTS : In case of overheating, sulfur oxides can be

emitted.

CONDITIONS TO AVOID : Do not heat above 80 – 90 DEGREES C.

MATERIALS TO AVOID : Neutralization with bases under uncontrolled

conditions.

INTENDED USE AND TRANSFORMATION : The product maybe neutralized under controlled

conditions with the appropriate base to produce

the corresponding salt.

TOXICOLOGY INFORMATION

POSSIBLE ROUTES OF PENETRATION : Ingestion and contact.

INGESTION : Corrosive substance, harmful for ingestion. Oral acute

LD50 : $> 500 - 2,000 \,\text{mg/Kg}$.

EYE CONTACT : Severe eye irritant (rabbit). It may cause irreversible

damage to the eyes.

SKIN CONTACT : Contact may cause ulcerations.

SENSITIZATION : Not sensitizing.

INHALATION : Inhalation is possible only as an aerosol. Strong irritant

to respiratory passages.

ECOLOGICAL INFORMATION

ENVIRONMENTAL DISTRIBUTION : Water is likely to be the main transport medium for the

chemical, to extimate its possible environmental

distribution.

PRIMARY BIODEGRADABLITY : > 90% (OECD screening test (sodium salt)) The

surfactant fulfils the requisite minimum requirements of

primary Biodegradability.

ABIOTIC DEGRADABILITY : Not available.

ECOTOXITY : 2.49 mg O2/mg.

CHEMICAL OXYGEN DEMAND(COD) : Not available.

LOG P o/w : Not applicable, surface active substance.

BCF : Insufficient available information.

DISPOSAL CONSIDERATIONS

Dispose of product in authorized places / methods in observance with current laws. It may be treated in a biological waste water treatment plant.

TRANSPORT INFORMATION

UN CLASSIFICATION NUMBER : 2586

NAME OF THE DELIVERING PRODUCT : Linear Alkyl Benzene Sulphonate (HLAS / LABS)

PROPER SHIPPING NAME : ALKYLSULPHONIC ACIDS, LIQUID with not

more than 5% free sulphuric acid

TECHNICAL NAME : LABSA 90%

BY SEA (IMO / IMDG):

Class: 8 Page 8105 Packing Group: III Label: of class 8 - model H - Alkylbenzenesulphonic acid MARPOL Annex II: Cat. C MARPOL Annex III: ------

MFAG: Table no. 007] EmS: F-A, S-B

BY ROAD (ADR): Class 8; 34 DEGREES C Identification number on the plate: 80 /

Packing group III Label 8

BY RAIL (RID) : Class 8; 34 DEGREES C Identification number on the plate: 80 /

2586 Packing group III Label 8

BY AIR (ICAO / IATA)

Class 8

REGULATORY INFORMATION

CLASSIFICATION AND LABELLING

PROVISIONAL

SYMBOLS OF HAZARD:



RISK PHRASES:

R 22 - Harmful if swallowed.

R 34 - Causes burns.

SAFETY ADVICES:

S 26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical help.

S 28 - After contact with skin, wash immediately with plenty of water.

S 36/37/39 – Wear suitable protective clothing, gloves and eye/face protection.

The information contained in this MSDS sheet is based on the available knowledge at the time of compilation. This information was obtained from tests conducted by or for New India Detergents Pvt.Ltd or extracted from the literature and is relative to the safety prescriptions and correct use of the product. New India Detergents Pvt. Ltd assumes no responsibility for applications that are incorrect or improper or not in accordance with the information reported above.

For any application outside normal foreseen it is advisable to ask information from New India Detergents Pvt.

The data provided herein do not constitute specifications of quality. This MSDS cancels and replaces any



